

## Vimar - 16004.B - 1P 10AX 2-way switch white

---

<b>Code</b>	16004.B
<b>Family</b>	Idea / Devices / Basic devices
<b>Description</b>	1P 10AX 2-way switch white
<b>Long Description</b>	1P 10 AX 250 V~ 2-way switch, white. Max 100 W for integrated ballast lamps (IEC 60669-1:2017)
<b>Product Status</b>	3 - Active
<b>Minimum order quantity</b>	50 NR



## Certifications

---


- 01. IMQ - Italy ([download](#))
- 04. NF - France ([download](#))
- 05. SEV - Switzerland ([download](#))
- 09. VDE - Germany ([download](#))
- 10. EAC Eurasian Customs Union
- 14. TSE - Turkey ([download](#))
- 15. CCC - China ([download](#))
- 19. NOM - Mexico
- 20. IRAM - Argentina
- 23. INMETRO - Brazil ([download](#))
- 28. NSW / RCM - Australia ([download](#))
- 37. Marking - Morocco
- 96. Electrotechnical expert ([download](#))

99. WEEE Directive ([download](#))

## Drawings


---

### SPACE VIEW




[download.png](#) - [download.dxf](#)

### BACKSIDE VIEW



[download.png](#) - [download.dxf](#)

### 3D VIEW



[download.png](#) - [download.dxf](#)

## Technical data

---

**Class group:** Domestic switching devices

**Class:** Switch

**Wiring system:** Two-way switch

**Method of operation:** Rocker/button

**Assembly arrangement:** Modular device for domestic switching devices

**Number of modules (module syst):** 1

**Push button switch:** Yes

**Number of rockers:** 1

**Mounting method:** Flush mounted (plaster)

**Type of fastening:** Engage (snap)

**With mounting plate:** No

**Material:** Plastic

**Material quality:** Thermoplastic

**Halogen free:** Yes

**Surface protection:** Untreated

**Surface finishing:** Matt

**Colour:** White

**RAL-number (akin):** 9001

**Label space/information surfac:** Yes

**Illumination:** No

**Function lighting:** Other

**Type of lighting:** Other

**Suitable for degree of protect:** IP40

**Nominal voltage:** 250 v

**Rated current:** 10 A

**Feedback-signal contact:** No

**Connection type:** Screwed terminal

**Washing machine switch:** No

**Width of device:** 24,80 mm

**Height of device:** 50,10 mm

**Depth of device:** 36,50 mm

**Built-in depth:** 23,30 mm

## Packaging

---



8 007352 066694

**Code** 8007352066694

**Quantity** 1 NR

**Dim.** 4.1x2.8x5.3 [cm]

**Weight** 29.79 [g]



**Code** 8007352066700

**Quantity** 50 NR

**Dim.** 21.4x11.6x14.2  
[cm]

**Weight** 1,589.27 [g]



**Code** 8007352641020

**Quantity** 500 NR

**Dim.** 57.5x22.5x30  
[cm]

**Weight** 16,920 [g]

Share

---



Legal

---

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.

Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.

For the terms of use of the information on the product info sheet see [conditions of use](#).