

Vimar - 16511.16 - 1P+N C16 RCBO 120-230V 10mA grey

Code	16511.16
Family	Idea / Devices / Residual current breakers (RCBOs)
Description	1P+N C16 RCBO 120-230V 10mA grey
Long Description	1P+N C 16 residual current breaker with overcurrent protection, supply voltage 120-230 V~ 50-60 Hz, I _{Δn} 10 mA, breaking capacity 3000 A, grey - 2 modules
Product Status	3 - Active
Minimum order quantity	5 NR



Sheets, Manuals

[FI - Instructions sheet \(687 kb\)](#)

Certifications

- 01. IMQ - Italy ([download](#))
- 37. Marking - Morocco
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Technical data

Class group: Circuit breakers and fuses

Class: Earth leakage circuit breaker

Number of poles (total): 2

Number of protected poles: 1

Rated voltage: 230 v

Rated current: 16 A

Rated fault current: 16 A

Leakage current type: A

Current limiting class: 1

Rated short-circuit breaking c: 3.000,00 kA

Surge current capacity: 3,00 kA

Voltage type: AC

Frequency: 50/60 Hz

Release characteristic: C

Concurrently switching N-neutr: Yes

Over voltage category: 3

Built-in depth: 39,10 mm

Suitable for flush-mounted ins: Yes

Anti-nuisance tripping version: No

Degree of protection (IP): IP40

Packaging



8 007352 107571

Code 8007352107571

Quantity 1 NR

Dim. 6x5.4x5.3 [cm]

Weight 104 [g]



8 007352 107588

Code 8007352107588

Quantity 5 NR

Dim. 17.2x13.1x6 [cm]

Weight 571.5 [g]

Share



Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.

Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.

For the terms of use of the information on the product info sheet see [conditions of use](#).