



AG2K


Modern downlight made in 316 AISI stainless steel

- Available 4W and 6W
- The Power LED optics, studied in every detail, guarantees a higher efficiency compared to market standards.
- Available in 3 beam angles 30° - 45° - 65°
- BI-COLOUR version: 4W white light + colored courtesy light 0,2W



GINEICO

- Power type Constant Voltage
- Light source LED
- Supply 9 ÷ 32 V
- Power consumption 4 W
- Current consumption 0.66 A @ 24V
- Average lifetime 50,000 h
- Dimmable Yes
- IP security degree 65
- Frame $\varnothing 3 \frac{1}{16}$ "
- Recess $1 \frac{11}{16}$ "
- Hole $\varnothing 2 \frac{9}{16}$ "
- Design



G45, 76-84 WATERWAY DRIVE COOMERA, QUEENSLAND, 4209, AUSTRALIA

PHONE: (+61) 7 5556 0244

EMAIL: SALES@GINEICOMARINE.COM.AU

WWW.GINEICOMARINE.COM.AU



DAYLIGHT 3800-4100 °K

- CRI \geq 90
- Light flow 324 lm
- Lighthness - distance 1 m/ \emptyset 1.16 m/279.6 lux
- Lighthness - distance 2 m/ \emptyset 2.32 m/69.9 lux
- Lighthness - distance 3 m/ \emptyset 3.48 m/31.1 lux

DAYLIGHT 3800-4100 °K

- CRI \geq 90
- Light flow 352 lm
- Lighthness - distance 1 m/ \emptyset 0.80 m/585.5 lux
- Lighthness - distance 2 m/ \emptyset 1.60 m/146.4 lux
- Lighthness - distance 3 m/ \emptyset 2.40 m/65.1 lux

DAYLIGHT 3800-4100 °K

- CRI \geq 90
- Light flow 336 lm
- Lighthness - distance 1 m/ \emptyset 0.53 m/885.6 lux
- Lighthness - distance 2 m/ \emptyset 1.06 m/221.4 lux
- Lighthness - distance 3 m/ \emptyset 1.59 m/94.4 lux

WARM WHITE 2900-3100 °K

- CRI \geq 90
- Light flow 306 lm
- Lighthness - distance 1 m/ \emptyset 1.16 m/245.4 lux
- Lighthness - distance 2 m/ \emptyset 2.32 m/61.4 lux
- Lighthness - distance 3 m/ \emptyset 3.48 m/27.3 lux

WARM WHITE 2900-3100 °K

- CRI \geq 90
- Light flow 330 lm
- Lighthness - distance 1 m \emptyset 0.80 m/536.5 lux
- Lighthness - distance 2 m/ \emptyset 1.60 m/134.1 lux
- Lighthness - distance 3 m/ \emptyset 2.40 m/59.6 lux

WARM WHITE 2900-3100 °K

- CRI \geq 90
- Light flow 307 lm
- Lighthness - distance 1 m/ \emptyset 0.53 m/755.5 lux
- Lighthness - distance 2 m/ \emptyset 1.06 m/188.9 lux
- Lighthness - distance 3 m/ \emptyset 1.59 m/83.9 lux

