



JAZZ

Modern downlight made in 316 AISI stainless steel

The Power LED optics, studied in every detail, guarantees a higher efficiency compared to market standards.

Available in 3 beam angles 30° - 45° - 65°


BI-COLOUR version: 4W white light + colored courtesy light 0,3W





GINEICO

- Power type Constant Voltage
- Light source POWER LED
- Supply 9 ÷ 32 V
- Power consumption 4 W
- Current consumption 0.17 A @ 24V
- Average lifetime 50,000 h
- Dimmable Yes
- IP security degree 65
- Frame \varnothing 3 1/16"
- Recess 1 13/64"
- Hole \varnothing 2 9/16"
- Frame material AISI 316 S/STEEL
- Finishings MIRROR POLISHED
- Light colours DAYLIGHT / WARM WHITE / BLU / RED
- Mounting SPRINGS



G45, 76-84 WATERWAY DRIVE COOMERA, QUEENSLAND, 4209, AUSTRALIA

PHONE: (+61) 7 5556 0244

EMAIL: SALES@GINEICOMARINE.COM.AU

WWW.GINEICOMARINE.COM.AU



DAYLIGHT 3800-4100 °K

- CRI \geq 90
- Light flow 345 lm
- Lighthness - distance 1 m/ \emptyset 0.50 m/943.8 lux
- Lighthness - distance 2 m/ \emptyset 1.00 m/236.0 lux
- Lighthness - distance 3 m/ \emptyset 1.50 m/104.9 lux

DAYLIGHT 3800-4100 °K

- CRI \geq 90
- Light flow 350 lm
- Lighthness - distance 1 m/ \emptyset 0.81 m/563.7 lux
- Lighthness - distance 2 m/ \emptyset 1.62 m/140.9 lux
- Lighthness - distance 3 m/ \emptyset 2.43 m/62.6 lux

DAYLIGHT 3800-4100 °K

- CRI \geq 90
- Light flow 305 lm
- Lighthness - distance 1 m/ \emptyset 1.24 m/250.3 lux
- Lighthness - distance 2 m/ \emptyset 2.48 m/62.6 lux
- Lighthness - distance 3 m/ \emptyset 3.71 m/27.8 lux

WARM WHITE 2900-3100 °K

- CRI \geq 90
- Light flow 307 lm
- Lighthness - distance 1 m/ \emptyset 0.50 m/837.6 lux
- Lighthness - distance 2 m/ \emptyset 1.00 m/209.4 lux
- Lighthness - distance 3 m/ \emptyset 1.50 m/93.1 lux

WARM WHITE 2900-3100 °K

- CRI \geq 90
- Light flow 315 lm
- Lighthness - distance 1 m/ \emptyset 0.81 m/504.6 lux
- Lighthness - distance 2 m/ \emptyset 1.62 m/126.2 lux
- Lighthness - distance 3 m/ \emptyset 2.43 m/56.1 lux

WARM WHITE 2900-3100 °K

- CRI \geq 90
- Light flow 275 lm
- Lighthness - distance 1 m/ \emptyset 1.24 m/226.7 lux
- Lighthness - distance 2 m/ \emptyset 2.48 m/56.7 lux
- Lighthness - distance 3 m/ \emptyset 3.71 m/25.2 lux

